

## DOUBLE SIDED SNAP FRAME 1"



## ONE DISPLAY FOR POSTERS TO BE VISIBLE FROM BOTH INSIDE AND OUTSIDE

A suitable way to present your messages and posters in spaces where you have no wall mounting possibilities. If suspended from the ceiling via wire cables in front of shop windows, the posters can be viewed both from the inside and from the outside. 1" silver anodized finish construction gives this window hanging frame a sleek look even though it has the durability to last long. Printed posters are suitable to be displayed with this hanging windows sign. The way you update your graphics is exactly the same as you do with regular snap frames. So snap open the profiles and place your poster. All required hanging accessories and a user guide are sent along with the product. Once you receive this hanging window frame and mounting instructions, all you need is less than ten minutes to fix it.

## KEY SELECTION ATTRIBUTES

- Ideal for various poster sizes.
- Natural silver-anodized and various RAL colors available with antimicrobial powder coating.
- 2 Anti-glare poster cover sheets.
- PP middle panel to keep posters straight and prevent light transmission.
- Provided with standard portrait or vertical assembly slots
- Optional portrait or vertical use to be indicated with the order.
- Free hanging hook comes with frame in standard.




COLOURS IN STOCK



Silver

COLOUR OPTIONS



CORNER TYPES



SUITABLE FOR

Snap Frame can be used for INDOOR applications, for signage needs in many locations like shopping centers, markets, groceries, hotels, offices airports, shops and stores, hospitals, schools, apartments, exhibition centers and many more.


FEATURES



EXPLODED VIEW



TECHNICAL DRAWING



ARTICLES

ARTICLE	EXTERNAL (x-y)	POSTER	COPY	WEIGHT	PACKING SIZE
				WITH PACKING	*W X H X D
VDE3660392	9.68" X 12.18"	8.5" X 11"	7.79" X 10.29"	1.984 lbs	9.84" X 12.60" X 1.38"
VDE3660328	12.18" X 18.18"	11" X 17"	10.29" X 16.29"	3.196 lbs	12.60" X 18.90" X 1.38"
VDE3660333	23.18" X 29.18"	22" X 28"	21.29" X 27.29"	6.172 lbs	22.83" X 29.92" X 1.38"
VDE3660335	25.18" X 37.18"	24" X 36"	23.29" X 35.29"	8.157 lbs	25.98" X 37.80" X 1.38"



## OPTIONAL ACCESSORIES



Hanging Kit for small sizes. for big sizes. (30"x40" to 40"x60") Hanger kit to be ordered separately.



Ceiling and floor hanger for double sided frames. Packed in 5.



Stopper on the frames for 1" double sided frames. Packed in 10.



Ceiling hanging kit for sizes 30"x40", 40"x60". Packed in 10.



Wire Cable.



Ceiling hanger for double sided frames for 20"x30". Packed in 10.

## PHYSICAL DATA

### Material

1" aluminum profiles.  
PET poster cover, PP backing.

### Poster Material & Thickness

0.0039" – 0.0078" for standard product. Max poster thickness is 0.078". Any non-standard poster thicknesses should be indicated with order.

### Surface Finish

Silver anodized or black colour, antimicrobial powder coating. Custom colors also available, call for custom color requests.

### Recycled Content

Up to %78 recycled content used.

### Warranty

All products are guaranteed for 3 years by Displays Outlet with below conditions:  
[Warranty Conditions](#)

### Installation Considerations

Each frame is packed individually in a cardboard box. Each frame includes hanging hooks for suspension. Frames are provided with portrait/vertical assembly slots. In case of landscape/horizontal use, please indicate with the order. All accessories are optional, not included in the original box.

### Storage Conditions

Goods should be stored at 32°F to 77°F in a dry place. Store in the original package.

### Design Considerations

Suitable for silk screen printing, max. letter height is 0.47"/0.55".

### Hazardous Substances

Displays Outlet prioritizes compliance with the REACH (Registration, Evaluation, Authorisation and Restriction of Chemicals) and RoHS (Restriction of Hazardous Substances) directives to protect both the environment and human health. We ensure that our products do not contain substances listed under REACH and adhere to strict RoHS limits for hazardous materials. Our manufacturing process ensures that lead, mercury, cadmium, and other restricted substances remain within the permitted thresholds, guaranteeing safe and sustainable products for our customers.

### Cleaning and Disinfecting

Clean your displays, with damp microfiber clothes, rinsed with simply water or warm, soapy or gentle shampooed water. Avoid using vinegar, abrasive, acidic, alcohol-based or heavy cleaners or cleaners containing Ammonia. Only after cleaning the product, if needed, simply apply disinfectant or sanitizer that is in compliance with your local guidelines and regulations.

## PRINT TEMPLATES

### Double Sided Snap Frame - 8.5"x11"

Document Size: 8.9" x 11.4" (Includes Bleeds)  
Finished Size: 8.5"x11"

### Double Sided Snap Frame - 11"x17"

Document Size: 11.4" x 17.4" (Includes Bleeds)  
Finished Size: 11"x17"

### Double Sided Snap Frame - 22"x28"

Document Size: 22.4" x 28.4" (Includes Bleeds)  
Finished Size: 22"x28"

### Double Sided Snap Frame - 20"x30"

Document Size: 20.4" x 30.4" (Includes Bleeds)  
Finished Size: 20"x30"

### Double Sided Snap Frame - 24"x36"

Document Size: 24.4" x 36.4" (Includes Bleeds)  
Finished Size: 24"x36"

### Double Sided Snap Frame - 30"x40"

Document Size: 30.4" x 40.4" (Includes Bleeds)  
Finished Size: 30"x40"


### Double Sided Snap Frame - 40"x60"

Document Size: 40.4" x 60.4" (Includes Bleeds)  
Finished Size: 40"x60"



# INSTALLATION INSTRUCTIONS

## Double Sided Snap Frame / 1001864



### NOTE:

- Stopper accessorie and ceiling hanger are optional parts.
- P.S. Die Bestellung von Stopper und Deckenhängung ist freigestellt.

- Please inform the order number on the product or on the carton (e.g. 1/110001394-460) to the place that you have made the purchase if any problem with the product occurs.
- All rights reserved. All pictures, figures and writings are secured internationally by copy-right law. Infringements will be sued by civil and legal law.



This technical sheet's contents are all subject to update and modification at Displays Outlet' exclusive discretion. There is nothing official about this document. For final and legally binding information, please get in touch with the sales staff at Displays Outlet.



T: +1 855-478-0652 / [info@displaysoutlet.com](mailto:info@displaysoutlet.com) / [www.displaysoutlet.com](http://www.displaysoutlet.com)