

### GENUINE DESIGN, ONE PRODUCT, MULTIFUNCTIONAL MENUBOARD

With our newly designed product, we would like to bring a new dimension of performance in menuboards. The Flexible Menuboard fulfills multiple functions thanks to its adjustable height and paper position applications through various standing angles on the back. The height of the unit, the landscape/portrait positioning and the eye catching view angle are all flexible. The product is protected worldwide by all required patent and design applications. It has already been certified in DE (Germany), FR (France), US (United States of America), JP (Japan) and OHIM (European union) papers. The worldwide patent is pending.

### **KEY SELECTION ATTRIBUTES**

- \* Genuine design with patent protection.
- \* Multifunctional Menuboard, with two positions as portrait and landscape.
- \* Suitable for poster sizes 8.5" X 11", 11" X 17", 18" X 22"
- \* One set includes a powder coated decorative heavy base, aluminium profile body with height adjustment and a snap-open poster frame with angle adjustment.
- \* Natural silver-anodized and various RAL colors available with antimicrobial powder coating.
- \* The heavy base provides stability.
- \* Packed unassembled in a sturdy box.





# **COLOURS IN STOCK**

Silver

### **SUITABLE FOR**

Menuboards can be used for INDOOR applications, for signage needs in highly frequented areas like shopping centers, markets, groceries, hotels, offices airports, shops and stores, hospitals, schools, apartments and many more.

### **FEATURES**

















### **EXPLODED VIEW**



### **TECHNICAL DRAWING**



### **ARTICLES**

							WEIGHT	PACKING SIZE
ARTICLE	X max.	X min.	Y1	Y2	POSTER	DESCRIPTION	WITH PACKING	*WXHXD
VENC711692	47.44"	34.06"	12.99"	9.84"	8.5" X 11"	Landscape	10.141 lbs	11.22"X 40.55"X 4.02"
	49.21"	35.83"	12.99"	9.84"	8.5" X 11"	Portrait	10.141 lbs	11.22"X 40.55"X 4.02"
VENC711628	49.61"	35.43"	16.54"	11.81"	11" X 17"	Landscape	13.889 lbs	14.37"X 43.70"X 4.02"
	51.97"	37.80"	16.54"	11.81"	11" X 17"	Portrait	13.889 lbs	14.37"X 43.70"X 4.02"

#### **Portrait**









### **PRINT TEMPLATES**

Flexible Menuboard - 8.5"x11"

Document Size: 8.89" x 11.4" (Includes Bleeds)

Finished Size: 8.5"x11"

Flexible Menuboard - 11"x17"

Document Size: 11.4" x 17.4" (Includes Bleeds)

Finished Size: 11"x17"

Flexible Menuboard - 18"x22"

Document Size: 18.4" x 22.4" (Includes Bleeds)

Finished Size: 18"x22"

### PHYSICAL DATA

#### Material

Aluminium profile body, 1" snap-open aluminium profile poster frame, PET anti-reflex poster cover, PS backing or ABS backing.

#### **Poster Material & Thickness**

0.0039" - 0.0078" for standard product. Max poster thickness is 0.059" any non-standard poster thicknesses should be indicated with order.

#### **Surface Finish**

Silver anodized or black colour, antimicrobial powder coating. Custom colors also available, call for custom color requests.

#### **Recycled Content**

Up to 78% recycled content used.

#### Warranty

All products are guaranteed for 3 years by Dispalys Outlet with below conditions: **Warranty Conditions** 

#### **Installation Considerations**

Menuboards are packed unassembled with an easy-to-understand instruction sheet & fixing elements. One set includes a durable heavy base, a height-adjustable body and a snap-open poster frame. Take the system into to the opened or closed position by turning the nut at the back of the frame. In the opened position, you can take the frame system both into the portrait or into the landscape position with a 15 degrees of angle gap. Heavy base provides stability in highly frequented areas.

#### **Storage Conditions**

Goods should be stored at 32°F to 77°F in a dry place. Store in the original package.

#### **Design Considerations**

Suitable for silk screen printing, max. letter height is 0.59".

## **Hazardous Substances**

guidelines and regulations.

Cleaning and Disinfecting

Displays Outlet prioritizes compliance with the REACH (Registration, Evaluation, Authorisation and Restriction of Chemicals ) and RoHS (Restriction of Hazardous Substances) directives to protect both the environment and human health. We ensure that our products do not contain substances listed under REACH and adhere to strict RoHS limits for hazardous materials. Our manufacturing process ensures that lead, mercury, cadmium, and other restricted substances remain within the permitted thresholds, guaranteeing safe and sustainable products for our customers.

Clean your displays, with damp microfiber clothes,

rinsed with simply water or warm, soapy or gentle

acidic, alcohol-based or heavy cleaners or cleaners

shampooed water. Avoid using vinegar, abrasive,

containing Ammonia. Only after cleaning the

sanitizer that is in compliance with your local

product, if needed, simply apply disinfectant or

#### Patent

Patent: TR 2007 06354 - TR 2007 03453 -PCT/TR 2007/000131 - DE 20 2007 016 574 -OHIM 000748223-0001,2 - FR 760305 -US 29/295.750 - US D 597, 764 S - JP 2007-022472-JP 2007-022473 - CN 200730321542.4 -CN 200730321543.

### INSTALLATION INSTRUCTIONS

### Flexible Menuboard / 1002004

#### Each product includes

- 1 x Main body profile
- 1 x Base
- 1 x Opti Frame 1 x PET cover
- 4 x Bolt M5x50
  1 x 4 allen key




























on the product or on the carton (e.g. 1/110001394-460) to the place that you have made the purchase if anyprol nume and writings are secured internationally by copy-right law. Infringements will be sued by civil and legal law.

This technical sheet's contents are all subject to update and modification at Dispalys Outlet' exclusive discretion. There is nothing official about this document. For final and legally binding information, please get in touch with the sales staff at Dispalys Outlet.