

FLEXIBLE MENUBOARD WITH LEDBOX



GENUINE DESIGN MENUBOARDS ILLUMINATED WITH LED TECHNOLOGY


Genuine design, one product, multi function. Flexible Menuboard with Ledbox bring a new dimension of performance in menuboards. LED technology illuminates prints homogeneous. It is in multi functional service of height and paper position application with variety of standing angles at the back. The height of the unit, landscape/portrait positioning or even eye catching view angle is flexible. Silver and black models are available in A4&A3 sizes. The product is protected in world with all required patent and design applications and already certified with DE (Germany), FR(France), US (United States of America), JP (Japan) and OHIM (European union) papers. PCT worldwide patent is pending.

KEY SELECTION ATTRIBUTES

- * Genuine design with patent protection.
- * Multifunctional Menuboard, with two positions as portrait and landscape.
- * Suitable for poster sizes 8.5" X 11" and 11" X 17".
- * One set includes a powder coated decorative heavy base, aluminium profile body with a fastener for height adjustment and a snap-open poster frame with angle adjustment and LED technology for illuminating prints homogeneously.
- * Natural silver-anodized, black and various RAL colors available with antimicrobial powder coating.
- * The heavy base provides stability.
- * Packed unassembled in a sturdy box.



COLOURS IN STOCK




SUITABLE FOR

Menuboards can be used for INDOOR applications, for signage needs in highly frequented areas like shopping centers, markets, groceries, hotels, offices airports, shops and stores, hospitals, schools, apartments and many more.


FEATURES



EXPLODED VIEW



TECHNICAL DRAWING



ARTICLES

ARTICLE	X max.	X min.	Y1	Y2	POSTER	DESCRIPTION	LIGHTING	WEIGHT	PACKING SIZE
								WITH PACKING	*W X H X D
-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-
VGNM21C128	fixed height	fixed height	16.54"	11.81"	11" X 17"	Black Landscape	1900-2100 LUX	16.424 lbs	14.76" X 42.13" X 4.33"
	fixed height	fixed height	16.54"	11.81"		Black Portrait	1900-2100 LUX	16.424 lbs	14.76" X 42.13" X 4.33"
VGNM21C129	fixed height	fixed height	16.54"	11.81"	18" X 24"	Black Landscape	1800-2200 LUX	15.432 lbs	20.67" X 52.36" X 4.06"
	fixed height	fixed height	16.54"	11.81"		Black Portrait	1800-2200 LUX	15.432 lbs	20.67" X 52.36" X 4.06"



PHYSICAL DATA

Material

Aluminium profile body, 1" snap-open aluminium profile poster frame, PET anti-reflex poster cover, PS backing or ABS backing.

Poster Material & Thickness

0.0039" – 0.0078" for standard product. Max poster thickness is 0.078". any non-standard poster thicknesses should be indicated with order.

Surface Finish

Silver anodized or black colour, antimicrobial powder coating. Custom colors also available, call for custom color requests.

Recycled Content

Up to 78% recycled content used.

Warranty

All products are guaranteed for 3 years by Displays Outlet with below conditions:

[Warranty Conditions](#)

Storage Conditions

Goods should be stored at 32°F to 77°F in a dry place. Store in the original package.

Installation Considerations

Menuboards are packed unassembled in a sturdy box with an easy-to-understand instruction sheet & fixing elements. One set includes a snap-open poster frame with angle adjustment and LED technology for illuminating prints homogeneously, an aluminium profile body with a fastener for height adjustment and a jack at the bottom for plugging power supply, a powder coated decorative heavy base. Take the system into the opened or closed position by turning the nut at the back of the frame. In the opened position, you can take the frame system both into the portrait or into the landscape position with a 15 degrees of angle gap.

Design Considerations

Genuine design with patent protection. Suitable for silk screen printing, max. letter height is 15 mm. LED technology illuminates the posters and papers. Suitable for 8.5"X 11" and 11"X 17" poster sizes in Landscape and Portrait positions with a flexible sight angle that catches the eye level. The heavy elegant base provides stability in highly frequented areas.

Cleaning and Disinfecting

Clean your displays, with damp microfiber clothes, rinsed with simply water or warm, soapy or gentle shampooed water. Avoid using vinegar, abrasive, acidic, alcohol-based or heavy cleaners or cleaners containing Ammonia. Only after cleaning the product, if needed, simply apply disinfectant or sanitizer that is in compliance with your local guidelines and regulations.

Hazardous Substances

Displays Outlet prioritizes compliance with the REACH (Registration, Evaluation, Authorisation and Restriction of Chemicals) and RoHS (Restriction of Hazardous Substances) directives to protect both the environment and human health. We ensure that our products do not contain substances listed under REACH and adhere to strict RoHS limits for hazardous materials. Our manufacturing process ensures that lead, mercury, cadmium, and other restricted substances remain within the permitted thresholds, guaranteeing safe and sustainable products for our customers.

Patent

Patent : TR 2007 06354 - TR 2007 03453 - PCT/TR 2007/000131 - DE 20 2007 016 574 - OHIM 000748223-0001,2 - FR 760305 - US 29/295.750 - US D 597, 764 S - JP 2007-022472- JP 2007-022473 - CN 200730321542.4 - CN 200730321543.

PRINT TEMPLATES

Flexible Menuboard with Fixed Height - 11"x17"

Document Size: 11.4" x 17.4" (Includes Bleeds)

Finished Size: 11" x 17"

Flexible Menuboard with Fixed Height - 18"x24"

Document Size: 18.4" x 22.4" (Includes Bleeds)

Finished Size: 18" x 22"





INSTALLATION INSTRUCTIONS

Flexible Menuboard with LEDbox / 1005992

Each product includes

- 1 x Main body profile
- 1 x Base
- 1 x Best Buy LEDbox Frame
- 1 x PET cover
- 4 x Bolt M5x50
- 1 x 4 allen key
- 1 x Power Supply 12V-1A



- Please inform the order number on the product or on the carton (e.g. 1/110001394-460) to the place that you have made the purchase if any problem with the product occurs.
- All rights reserved. All pictures, figures and writings are secured internationally by copy-right law. Infringements will be sued by civil and legal law.

This technical sheet's contents are all subject to update and modification at Dispalys Outlet' exclusive discretion. There is nothing official about this document. For final and legally binding information, please get in touch with the sales staff at Dispalys Outlet.



T: +1 855-478-0652 / info@displaysoutlet.com / www.displaysoutlet.com