

## OUTDOOR FLAP GRIPPER



### A UNIQUE ADVERTISING SOLUTION FOR 2-WAY TRAFFIC OUTDOOR USE

Outdoor Flap Gripper offers innovative solutions for your advertising needs. It is designed to mount rigid panels onto outer walls using both sides of display poster. Then it gets the attention of 2-way traffic. It accepts rigid panels in 5mm thicknesses. Panel is recommended to be printed on both sides. Optional panel are available as PVC Foam board or chalk which are provided optionally. Recommended board thickness is 5mm. Boards are secured in aluminium profile with screws and snap profile covers the screw and provide the flapping.



CE certified fire classified screws and wall plugs for wall mounting enclosed with the product which increase the security of the product in use. Special anti-corrosion coated screw is made of zinc coated steel and plastic sleeve made of high quality of nylon. It is confirmed for outdoor fixing on various exterior building surfaces such as concrete, solid or honeycomb brick, hollow dense or hollow light aggregate block, aerated concrete and solid stone.

Fixing is covered by plastic end caps to provide clean finish to the product. Suitable for both indoor and outdoor use with suitable printed panel. Max panel width is 23.6". Available in 39.37", 47.24" and 59.05" lengths.



### KEY SELECTION ATTRIBUTES

- Ideal for large-scaled posters.
- Natural silver-anodized and various RAL colors are available (subject to MOQ)
- Ideal for 2-way traffic indoor & outdoor use.
- Natural silver anodised aluminium in standard.
- Designed to mount rigid panels onto outer walls.
- Accepts rigid panels in 0.20" thicknesses.
- Optional panels as PVC foam board or chalk.
- Panels to be printed on both sides.
- Gets the attention of 2-way traffic.
- Available in 39.37" / 47.24" / 59.06" lengths.
- Max panel width is 23.6".



## COLOURS IN STOCK COLOUR OPTIONS



Silver

Black Anodised

Silver Anodised

White - RAL 9003

Black - RAL 9005

Red - RAL 3020

Blue - RAL 5002


Green - RAL 6029

Yellow - RAL 1021

## SUITABLE FOR

Flap Gripper can be used for INDOOR and OUTDOOR applications for signage needs in many locations like shopping centers, markets, groceries, hotels, offices airports, shops and stores, hospitals, schools, apartments and many more.

## FEATURES




## EXPLODED VIEW



Please order panel separately

Wall fixing screws of Outdoor Flap Gripper are included in the pack which are CE certified multi-expansion long plugs. Special anti-corrosion coated screw is made of zinc coated steel and plastic sleeve made of high quality of nylon. It is confirmed for outdoor fixing on various exterior building surfaces such as concrete, solid or honeycomb brick, hollow dense or hollow light aggregate block, aerated concrete and solid stone.

## TECHNICAL DRAWING



## ARTICLES

Excluding panel					WEIGHT	PACKING SIZE
ARTICLE	POSTER SIZE	COPY AREA	A	B	WITH PACKING	*W X H X D
UYOFG00N100	24.41" X 39.37"	23.62" X 39.37"	42.32"	44.09"	10.14 lbs	4.33" X 46.06" X 3.74"
UYOFG00N120	24.41" X 47.24"	23.62" X 47.24"	50.2"	51.97"	12.13 lbs	4.33" X 53.94" X 3.74"
UYOFG00N150	24.41" X 59.06"	23.62" X 59.06"	62.01"	63.78"	14.77 lbs	4.33" X 65.75" X 3.74"

## OPTIONAL ACCESSORIES

PANEL: 0.2" PVC Foam	
ARTICLE	POSTER SIZE
UYOFG10610	24.41" X 39.37"
UYOFG10612	24.41" X 47.24"
UYOFG10615	24.41" X 59.06"

## PHYSICAL DATA

### Material

2.91" silver anodised aluminium profile, optional PVC foam board or chalk panel.

### Poster Material & Thickness

0.19" for standard product. Max poster thickness is 0.23". Any non-standard poster thicknesses should be indicated with order.

### Surface Finish

Silver anodized. Custom colors also available, call for custom color requests.

### Recycled Content

Up to 82% recycled content used.

### Warranty

All products are guaranteed for 2 years by MT Displays with below conditions:

[Warranty Conditions](#)

### Storage Conditions

Goods should be stored at 32° to 77°F in a dry place. Store in the original package.

### Installation Considerations

Wall fixing and panel fixing included.

PVC foam Panels are optional.

Boards are secured in aluminium profile with screws and snap profile covers the screw and provide the flapping.

### Design Considerations

Max height 59.06" & max. width 23.62".

### Cleaning and Disinfecting

Clean your displays, with damp microfiber clothes, rinsed with simply water or warm, soapy or gentle shampooed water. Avoid using vinegar, abrasive, acidic, alcohol-based or heavy cleaners or cleaners containing Ammonia. Only after cleaning the product, if needed, simply apply disinfectant or sanitizer that is in compliance with your local guidelines and regulations.

### Hazardous Substances

Displays Outlet prioritizes compliance with the REACH (Registration, Evaluation, Authorisation and Restriction of Chemicals) and RoHS (Restriction of Hazardous Substances) directives to protect both the environment and human health. We ensure that our products do not contain substances listed under REACH and adhere to strict RoHS limits for hazardous materials. Our manufacturing process ensures that lead, mercury, cadmium, and other restricted substances remain within the permitted thresholds, guaranteeing safe and sustainable products for our customers.



T: +1 855-478-0652 / info@displaysoutlet.com/ www.displaysoutlet.com

## PRINT TEMPLATES

### Outdoor Flap Gripper - 24.41" x 39.37"

Document Size: 24.8" x 39.76" (Includes Bleeds)

Finished Size: 24.41" x 39.37"

### Stretch Frame - 24.41" x 47.24"

Document Size: 24.8" x 47.64" (Includes Bleeds)

Finished Size: 24.41" x 47.24"

### Stretch Frame - 24.41" x 59.06"

Document Size: 24.8" x 59.45" (Includes Bleeds)











Finished Size: 24.41" x 59.06"

## INSTALLATION INSTRUCTIONS

### Outdoor Flap Gripper / 1010083H000

Each product package includes

- 1 x Outdoor Flap Gripper profile
- 2 x End cap
- 4 x Screw
- 4 x Anchor
- 4 x Bolt M6x30



- Please inform the order number on the product or on the carton (e.g. 1/110001394-460) to the place that you have made the
- All rights reserved. All pictures, figures and writings are secured internationally by copy-right law. Infringements will be sued by civil and legal law.

Please order panel separately →



This technical sheet's contents are all subject to update and modification at Displays Outlet' exclusive discretion. There is nothing official about this document. For final and legally binding information, please get in touch with the sales staff at Displays Outlet.



T: +1 855-478-0652 / [info@displaysoutlet.com](mailto:info@displaysoutlet.com) / [www.displaysoutlet.com](http://www.displaysoutlet.com)