DISPLAYS OUTLET

WEATHERPROOF FRAME

EASY TO PRESENT YOUR ADS IN DIFFICULT WEATHER CONDITIONS

Weatherproof Frames are a versatile and affordable option for presenting advertising content and other forms of public communication in an outdoor environment. They are easy to use and easy to poster when the sides flip open. The natural silver-anodized finish aluminium frame, also available in different RAL colors is weather resistant and is a great display to exhibit signage outdoors.

As an outdoor display unit, each frame has been designed to achieve maximum weather resistance and protection from other corrosive agents. The snap frame has been manufactured with a sturdy aluminium border and also features inner rubber gaskets to achieve resistance from unfavourable weather conditions, including rain and dust. An additional feature of the outdoor frame offering protection to images is the anti-glare transparent cover sheet. This protective overlay enhances graphic visibility, maximising interest and customer engagement with your prints.

Once the poster display is mounted into the wall it will assist all future advertising and promotional needs through the simple and easy rotation of alternative posters fastened by snap frame.

KEY SELECTION ATTRIBUTES

* Ideal for various poster sizes.
* Natural silver-anodized and various RAL colors available with antimicrobial powder coating.
* Standard mitred corners.
* Water drainage holes on both long and short sides provideweatherproof availabilities for both landscape and portrait positions.
* Weatherproof IP55
* Patent protected (TR 2006 06254 PCT/TR06/000064)
* Optional V-Hangers for easy mounting.



1”

1.38”

T: +1 855-478-0652 / info@displaysoutlet.com/ www.displaysoutlet.com

COLOURS IN STOCK

Silver Black

COLOUR OPTIONS

Black - RAL 9005
Silver Anodised
White - RAL 9003
Red- RAL 3020
Blue - RAL 5002
Green - RAL 6029
Yellow - RAL 1021

CORNER TYPES



SUITABLE FOR

Weatherproof Snap Frame can be used for INDOOR and OUTDOOR applications, for signage needs in many locations like shopping centers, markets, groceries, hotels, offices airports, shops and stores, hospitals, schools, apartments, museums, restaurants, theatres, commercial advertising, and even art works and many more.

FEATURES

1″

1.38″

EXPLODED VIEW





TECHNICAL DRAWING

1″



1.38″



OPTIONAL ACCESSORIES

V Hanger



ARTICLES

PROFILE : 25 mm 45⁰					WEIGHT	PACKING SIZE
SILVER	BLACK	EXTERNAL (x-y)	POSTER	COPY	WITH PACKING	*W X H X D
-	-	19.88″ X 25.94″	18″ X 24″	17.87″ X 23.94″	3.527 lbs	20.47″ X 26.38″ X 0.91″
VDI3660134	-	21.93″ X 31.93″	20″ X 30″	19.92″ X 29.92″	5.247 lbs	22.44″ X 32.68″ X 1.22″
VDI3660133	VDI366C133	23.94″ X 29.92″	22″ X 28″	21.93″ X 27.91″	4.850 lbs	24.41″ X 30.71″ X 1.22″
VDI3660135	VDI366C135	25.94″ X 37.91″	24″ X 36″	23.94″ X 35.91″	5.401 lbs	26.77″ X 38.58″ X 1.22″

PHYSICAL DATA

Material
1″ and 1.38″ aluminum profiles.
PET poster cover, PS backing or ABS backing.
Rubber Sealing.

Poster Material & Thickness
0.0039″ – 0.0078″ for standard product. Max poster thickness is 0.078″. Any non-standard poster thicknesses should be indicated with order.

Surface Finish
Silver anodized, or black colour, antimicrobial powder coating. Custom colors also available, call for custom color requests.

Recycled Content
Up to 78% recycled content used.

Warranty
All products are guaranteed for 3 years by Displays Outlet with below conditions:
Warranty Conditions

Installation Considerations
Each frame includes wall mounting accessories (4 screws & 4 plugs). Each frame is packed individually in a cardboard box. 'Optional hangers" permit easy mounting. Please use the pull sticker to take off the cover. Please place the poster inside the water wick a round the poster area of the frame.

Storage Conditions
Goods should be stored at 32°F to 77°F in a dry place. Store in the original package.

Design Considerations
Suitable for silk screen printing, max. letter height is 0.59″.

Cleaning and Disinfecting
Clean your displays, with damp microfiber clothes, rinsed with simply water or warm, soapy or gentle shampooed water. Avoid using vinegar, abrasive, acidic, alcohol-based or heavy cleaners or cleaners containing Ammonia. Only after cleaning the product, if needed, simply apply disinfectant or sanitizer that is in compliance with your local guidelines and regulations.

Hazardous Substances
Displays Outlet prioritizes compliance with the REACH (Registration, Evaluation, Authorisation and Restriction of Chemicals) and RoHS (Restriction of Hazardous Substances) directives to protect both the environment and human health. We ensure that our products do not contain substances listed under REACH and adhere to strict RoHS limits for hazardous materials. Our manufacturing process ensures that lead, mercury, cadmium, and other restricted substances remain within the permitted thresholds, guaranteeing safe and sustainable products for our customers.

Certifications / Patents
TR 2006 06254, PCT/TR 2006/000064

PRINT TEMPLATES

Weatherproof Frame 1″ - 18″x24″
Document Size: 18.4″ x 24.4″ (Includes Bleeds)
Finished Size: 18″x24″

Weatherproof Frame 1″ - 20″x30″
Document Size: 20.4″ x 30.4″ (Includes Bleeds)
Finished Size: 20″x30″

Weatherproof Frame 1″ - 22″x28″
Document Size: 22.4″ x 28.4″ (Includes Bleeds)
Finished Size: 22″x28″

Weatherproof Frame 1″ - 24″x36″
Document Size: 24.4″ x 36.4″ (Includes Bleeds)
Finished Size: 24″x36″

Weatherproof Frame 1″ - 30″x40″
Document Size: 30.4″ x 40.4″ (Includes Bleeds)
Finished Size: 30″x40″

Weatherproof Frame 1.38″ - 18″x24″
Document Size: 18.4″ x 24.4″ (Includes Bleeds)
Finished Size: 18″x24″

Weatherproof Frame 1.38″ - 20″x30″
Document Size: 20.4″ x 30.4″ (Includes Bleeds)
Finished Size: 20″x30″

Weatherproof Frame 1.38″ - 22″x28″
Document Size: 22.4″ x 28.4″ (Includes Bleeds)
Finished Size: 22″x28″

Weatherproof Frame 1.38″ - 24″x36″
Document Size: 24.4″ x 36.4″ (Includes Bleeds)
Finished Size: 24″x36″

Weatherproof Frame 1.38″ - 30″x40″
Document Size: 30.4″ x 40.4″ (Includes Bleeds)
Finished Size: 30″x40″

Weatherproof Frame 1.38″ - 40″x60″
Document Size: 40.4″ x 60.4″ (Includes Bleeds)
Finished Size: 40″x60″

INSTALLATION INSTRUCTIONS

Weatherproof Frame / 1001983



Screw & anchor mounting

Each frame includes wall mounting accessories
(4 screws & 4 anchors)



CAUTION!
Beware of the drainage slots found on the lower profile while mounting the frame.

• Please inform the order number on the product or on the carton (e.g. 1/110001394-460) to the place that you have made the purchase if anyproblem with the product occurs.

• All rights reserved. All pictures, figures and writings are secured internationally by copy-right law. Infringements will be sued by civil and legal law.

This technical sheet's contents are all subject to update and modification at Displays Outlet' exclusive discretion. There is nothing official about this document. For final and legally binding information, please get in touch with the sales staff at Displays Outlet.