

EASY GO A BOARD



PORTABLE SIDEWALK SIGNS WITH FOLDABLE DESIGN

Easy go A Board is an ultraportable and easy to use model in A board range

With its unique foldable design, it is easy to carry and set up. There are 3 different panels that can be used in this model; chalkpanel, write-on panel, PVC Foam panel for direct printing. These panels will be slid into the channels of the legs. Suitable for max. 0.19" panels.


KEY SELECTION ATTRIBUTES

- * Ultraportable, double sided pavement sign with unique foldable design.
- * Easy to use, carry and set up due to its foldability feature.
- * Suitable for use with 3 different panel models: chalkpanel, write-on panel or PVC foam panel for direct printing.
- * Panels with max. 0.19" thickness can be slid from top into the channels of the legs of A Board.

- * One set includes only the foldable A Board packed in a single box.
- * Optional panels are not included, should be ordered separately.
- * Natural silver-anodized, black in standard and various RAL colors available with antimicrobial powder coating.




COLOURS IN STOCK



Silver Black


COLOUR OPTIONS




SUITABLE FOR

Easy Go A Boards can be used for INDOOR and OUTDOOR applications, for signage needs in many locations like shopping centers, markets, groceries, hotels, offices, airports, shops and stores, hospitals, schools, apartments and many more.

FEATURES




EXPLODED VIEW



Portable

TECHNICAL DRAWING



ARTICLES

ARTICLE	POSTER	COPY	X	H	WEIGHT	PACKING SIZE
					WITH PACKING	*W X H X D
VBCFH11033	22" X 28"	21.30" X 27.99"	23.58"	37.40"	11.243 lbs	4.53" X 40.16" X 2.56"
VBCFH11035	24" X 36"	23.31" X 35.98"	25.59"	45.28"	13.227 lbs	4.53" X 48.03" X 2.56"

PRINT TEMPLATES

Easy Go A Board - 22" x 28"

Document Size: 22.4" x 28.4" (Includes Bleeds)

Finished Size: 22" x 28"

Easy Go A Board - 24" x 36"

Document Size: 24.4" x 36.4" (Includes Bleeds)

Finished Size: 24" x 36"



T: +1 855-478-0652 / info@displaysoutlet.com / www.displaysoutlet.com

PHYSICAL DATA

Material

Anodised aluminium profiles.
Chalk panel, Write-on panel and PVC Foam panel.

Poster Material & Thickness

Max poster thickness is 0.19". Any non-standard poster thicknesses should be indicated with order.

Surface Finish

Natural silver-anodized, wood lining or black in standard and various RAL colors available with antimicrobial powder coating. Call for custom color requests.

Recycled Content

Up to 78% recycled content used.

Warranty

All products are guaranteed for 2 years by Displays Outlet with below conditions:

[Warranty Conditions](#)

Installation Considerations

Ultraportable A Boards are packed in a single box with an easy-to-understand instruction sheet. No tool assembly. One set includes only the foldable aluminium profile A Board body with interlocking side scissors for keeping the system stable. Optional panels are not included, should be ordered separately.

Storage Conditions

Goods should be stored at 32°F to 77°F in a dry place. Store in the original package.

Design Considerations

Ultraportable Double-sided Pavement Sign with unique foldable design. Easy to use, carry and set up due to its foldability feature of top and bottom profile frames. Suitable for use with 3 different panel options: chalkpanel, write-on panel or PVC foam panel for direct printing. Panels with max. 0.19" thickness can be slid from top into the channels of the legs.

Cleaning and Disinfecting


Clean your displays, with damp microfiber clothes, rinsed with simply water or warm, soapy or gentle shampooed water. Avoid using vinegar, abrasive, acidic, alcohol-based or heavy cleaners or cleaners containing Ammonia. Only after cleaning the product, if needed, simply apply disinfectant or sanitizer that is in compliance with your local guidelines and regulations.

Hazardous Substances

Displays Outlet prioritizes compliance with the REACH (Registration, Evaluation, Authorisation and Restriction of Chemicals) and RoHS (Restriction of Hazardous Substances) directives to protect both the environment and human health. We ensure that our products do not contain substances listed under REACH and adhere to strict RoHS limits for hazardous materials. Our manufacturing process ensures that lead, mercury, cadmium, and other restricted substances remain within the permitted thresholds, guaranteeing safe and sustainable products for our customers.

INSTALLATION INSTRUCTIONS

Easy Go A Board



Panels excluded. Order separately.



ase inform the order number on the product or on the carton (e.g. 1/110001394-460) to the place that have made the purchase if anyproblem with the product occurs.
rights reserved. All pictures, figures and writings are secured internationally by copy-right law. Infringements be sued by civil and legal law.

This technical sheet's contents are all subject to update and modification at Displays Outlet' exclusive discretion. There is nothing official about this document. For final and legally binding information, please get in touch with the sales staff at Displays Outlet.



T: +1 855-478-0652 / info@displaysoutlet.com / www.displaysoutlet.com