

OPTI FRAME A BOARD



COST-SAVING DOUBLE SIDED SIDEWALK SIGNS WITH EASY OPEN SNAP DESIGN

A new design for pavement sign needs!

In our new opti family, we have just created a fresh design as a classical pavement sign A Board. This new product will not only offer new performance but also comes with competitive offers to support its distribution growth among all other pavement signs in the market.


Provided with 1" & 1.26" profiles; only available in size. Mitred and round corners are available, backing in PS is standard.

KEY SELECTION ATTRIBUTES

- * Double-sided Pavement Sign with easy open Snap design
- * Suitable for only 23.39"x 33.11" poster size with 1" or 1.25" profile options.
- * Competitive offer for supporting distribution growth.
- * One set includes double sided snap open frames with optional safe mitred or round corners to suit with health & safety conditions, 2 anti-reflex poster covers, hinges, mill finish legs and scissors for keeping the system stable.
- * Optional Wire Header Holder, Header Board and Brochure Baskets are not included, should be ordered separately.
- * PS backing panel provides lightness to move.
- * Natural silver-anodized in standard and various RAL colors available with antimicrobial powder coating.
- * Packed in a single box with an easy to understand instruction sheet. Placed over high pallet and provided with eco packaging.
- * Mill finish legs require fitting on holes by the receiver.
- * Each unit has water drainage slots on bottom profiles.



COLOURS IN STOCK



Silver Black

COLOUR OPTIONS



SUITABLE FOR

Opti Frame A Boards can be used for INDOOR and OUTDOOR applications, for signage needs in many locations like shopping centers, markets, groceries, hotels, offices airports, shops and stores, hospitals, schools, apartments and many more.


FEATURES



EXPLODED VIEW



TECHNICAL DRAWING



ARTICLES

25 mm profile						WEIGHT	PACKING SIZE
MITRED ARTICLE	ROUND ARTICLE	POSTER	X	Y	H	WITH PACKING	*W X H X D
-		420 X 594 mm	451 mm	625 mm	950 mm	4,500 kg	510 X 1100 X 85 mm
-		594 X 841 mm	628 mm	875 mm	1050 mm	7,500 kg	720 X 1180 X 85 mm
-		500 X 700 mm	534 mm	734 mm	950 mm	6,000 kg	630 X 1100 X 85 mm
VPBC366033		22" X 28"	23.39"	29.33"	37.40"	14,109 lbs	26.77" X 43.31" X 3.35"

PRINT TEMPLATES

Opti Frame A Board 25 mm - 22" x 28"
Document Size: 22.4" x 28.4" (Includes Bleeds)
Finished Size: 22" x 28"

OPTIONAL ACCESSORIES



A Board header (PVC Foam).



A board basket A4 size to hang on scissors.



A Board wire header holder.



T: +1 855-478-0652 / info@displaysoutlet.com/ www.displaysoutlet.com

PHYSICAL DATA

Material

25mm or 32mm aluminium profile easy open snap frame, PET anti-reflex poster cover, PS backing, mill finish legs. PVC Foam optional header.

Poster Material & Thickness

0,10 – 0,20 mm for standard product. Max poster thickness 1,5 mm for mitred corner, 0,5 mm for round corner. Any non-standard poster thicknesses should be indicated with order.

Surface Finish

Natural silver-anodized in standard and various RAL colors available with antimicrobial powder coating. Call for custom color requests.

Recycled Content

Up to %?? recycled content used.

Warranty

All products are guaranteed for 2 years by Displays Outlet with below conditions:

[Warranty Conditions](#)

Storage Conditions

Goods should be stored at 0° to 25°C in a dry place. Store in the original package.

Installation Considerations

Opti Frame A Boards are packed in a single box with an easy-to-understand instruction sheet. One set includes double sided snap open frames with optional safe mitred or round corners to suit with health & safety conditions, 2 anti-reflex poster covers, hinges, mill finish legs and scissors for keeping the system stable. Placed over high palet and provided with eco packaging. Mill finish legs require fitting on holes by the receiver. Each unit has water drainage slots on bottom profiles. No tool assembly. Optional Wire Header Holder, Header Board and Brochure Baskets are not included, should be ordered separately.

Cleaning and Disinfecting

Clean your displays, with damp microfiber clothes, rinsed with simply water or warm, soapy or gentle shampooed water. Avoid using vinegar, abrasive, acidic, alcohol-based or heavy cleaners or cleaners containing Ammonia. Only after cleaning the product, if needed, simply apply disinfectant or sanitizer that is in compliance with your local guidelines and regulations.

Design Considerations

Double-sided Pavement Sign with easy to open Snap design. Suitable for silk screen printing, max. letter height is 15 mm. Suitable for only A1 poster size with 25mm or 32mm profile options. PS backing panel provides lightness to move.

Hazardous Substances


Displays Outlet prioritizes compliance with the REACH (Registration, Evaluation, Authorisation and Restriction of Chemicals) and RoHS (Restriction of Hazardous Substances) directives to protect both the environment and human health. We ensure that our products do not contain substances listed under REACH and adhere to strict RoHS limits for hazardous materials. Our manufacturing process ensures that lead, mercury, cadmium, and other restricted substances remain within the permitted thresholds, guaranteeing safe and sustainable products for our customers.

Patent


Patent: PCT/TR06/000018 - WO 2007/126397 - EP 2016574 - DE 20 2006 020 145 - US 2009/211134 - AU 2006342800 - CN 101473363 - CA 2654307 - UA 2008 13893 - EA 200802174/26 - IN WO 2007/126397 - ZA 2008/09638 - TR 2007 05704 - OHIM 831235-0001,2,3,4

INSTALLATION INSTRUCTIONS


Opti Frame A Board



PVC foam header and wire header holder are optional.



Baskets are optional.



Hang the basket on the scissors.



• Please inform the order number on the product or on the carton (e.g. 1/110001394-460) to the place that you have made the purchase if any problem with the product occurs.

• All rights reserved. All pictures, figures and writings are secured internationally by copy-right law. Infringements will be sued by civil and legal law.

This technical sheet's contents are all subject to update and modification at Displays Outlet' exclusive discretion. There is nothing official about this document. For final and legally binding information, please get in touch with the sales staff at Displays Outlet.



T: +1 855-478-0652 / info@displaysoutlet.com / www.displaysoutlet.com